

12.5 DEGREE CATTLE LOADING RAMP

Proudly Australian owned, designed & manufactured.



RENOWNED STRENGTH, RELIABILITY AND SAFETY

The ProWay 12.5 Degree Cattle Ramp is the ultimate solution for safely and efficiently loading livestock. ProWay's Permanent Loading Ramp range are renowned for their safety, durability and reliability, continually withstanding tough conditions year after year. ProWay's 12.5 Degree Cattle Ramp is highly regarded by producers, commercial operators and transport contractors alike.

Featuring a fully galvanised construction with nonslip walkways and handrails, the 12.5 Cattle Ramp is fully sheeted to ensure cattle flow safely and efficiently. This heavy duty loading option has been designed to handle high quantities of cattle breeds and has proven to time and again to be the perfect loading/unloading option for family owned and commercial producers.

The 12.5 Degree Cattle Ramp has been continually developed by our Engineering and Innovation Teams on the back of direct industry feedback and consultation with clients, commercial facilities and livestock transport associations.

- Rises over 5.0M (plus 1.6m level extension)
- Galvanised construction with non-slip walkway and handrail for operator safety
- Sheeted cattle rail sides are standard to promote safety and stock flow with an internal width of 800mm
- Access door and sliding gate at truck end
- Swivel buffer board eliminates gap between the ramp and truck
- Heavy duty, proudly Australian made construction
- Designed to improve efficiency and safety when unloading/ loading cattle and calves

Optional upgrades available:

■ Wide landing ■ Dual walkways Stairs to ground



HEAVY DUTY CONSTRUCTION



NON SLIP WALKWAY WITH HANDRAIL



MANWAY ACCESS GATE







www.**proway**.com.au

Proudly Australian designed and manufactured

CATTLE LOADING RAMPS

Current at: 21 May, 2025

Cattle Loading Ramp - Mobile

Eco Mobile Cattle Loading Ramp with Adjustable Floor with walkway and hand winch

\$8,775.00 (ex GST) \$9,655.00 (inc GST)

- Strip sheeted pipe sides
- Walkway 2 x 300mm interlock planks with handrail
- Hand winch to adjust floor height. 12 months manufacturer warranty on winch.

Excludes damage caused by misuse, accidents or interference by operators.

- Lightboard
- Proudly designed and manufactured in Australia

Cattle Loading Ramp - Permanent

19 Degree HD Cattle Loading Ramp

\$6,690.00 (ex GST) \$7,360.00 (inc GST)

- Rises up over 3.3m
- Sheeted cattlerail sides
- Walkway and handrail
- Swivel buffer board
- Designed for a stepped concrete floor (concrete not included). Supplied with trimdeck sheeting on which the concrete is poured, forming a suspended concrete slab.
- Sliding gate at truck end
- Proudly designed and manufactured in Australia

19 Degree Adjustable Cattle Loading Ramp

\$7,185.00 (ex GST) \$7,905.00 (inc GST)

- Rises up over 3.3m
- Sheeted RHS sides for good stock flow
- Hot Dipped Galvanised 3mm pressed chequer plate floor
- 800mm internal width
- Nylon buffers
- Drop over flap eliminates gap between truck and ramp
- Hand winch to adjust floor height. Adjusts from trailer to truck height. 12 months manufacturer warrnty on winch.
- Walkway 3 x 225mm interlock planks with handrail
- Constructed from galvanised materials ensures product longevity
- Proudly designed and manufactured in Australia

19 Degree HD Cattle Loading Ramp with Level Extension

\$11,015.00 (ex GST)

Rises up over 3.3m (plus 1.6m level extension)

- Sheeted cattle rail sides
- Walkway and handrail
- Swivel buffer board
- Designed for a stepped concrete floor (concrete not included). Supplied with trimdeck sheeting on which the concrete is poured, forming a suspended concrete slab.
- Sliding gate at truck end
- Proudly designed and manufactured in Australia

\$12,115.00 (inc GST)

Prices Ex-Wagga Page 1 of 4 Prices subject to change without notice



www.**proway**.com.au

Proudly Australian designed and manufactured

CATTLE LOADING RAMPS

19 Degree HD Cattle Loading Ramp with Level Extension and Dual Walkways

Rises up over 3.3m, plus 1.6m level extension. The level extension makes loading and unloading cattle safer and better suits animals natural tendencies.

- Sheeted cattle rail sides, promotes safe stockflow
- Walkway and handrail both sides of ramp
- Access door both sides of ramp
- Swivel buffer board minimises gaps
- Designed for a stepped concrete floor. Supplied with trimdeck sheeting (better for stockflow and longevity) on which the concrete is poured, forming a suspended concrete slab. A stepped floor is best for loading as it is more natural for animals and they stay calmer.
- Sliding gate at truck end
- Proudly designed and manufactured in Australia
- Walkways and ramp compliant with AS 5430, AS1657 and ALRTA guidelines.

12.5 Degree HD Cattle Loading Ramp with Level Extension incl. Sliding Gate

- Rises up over 5m (plus 1.6m level extension)
- Sheeted cattle rail sides
- Walkway and handrail
- Truckie access door shuts across ramp
- Swivel buffer board
- Designed for a stepped concrete floor (concrete not included). Supplied with trimdeck sheeting on which the concrete is poured, forming a suspended concrete slab.
- Sliding gate at truck end
- Proudly designed and manufactured in Australia

12.5 Degree HD Cattle Loading Ramp with Level Extension, Sliding Gate and Dual Walkways

- Rises up over 5m (plus 1.6m level extension)
- Sheeted cattle rail sides
- Walkway and handrail both sides of ramp
- Truckie access door shuts across ramp
- Swivel buffer board
- Designed for a stepped concrete floor (concrete not included). Supplied with trimdeck sheeting on which the concrete is poured, forming a suspended concrete slab.
- Sliding gate at truck end
- Proudly designed and manufactured in Australia

12.5 Degree Permanent Heavy Duty Lead-up Cattle Loading Ramp

- Rises up over 5m
- Lead up for 9m Adjustable Ramp
- Designed for a concrete floor (concrete not included). Supplied with trimdeck sheeting on which the concrete is poured, forming a suspended concrete slab.
- Sheeted SHS sides
- This is needed as a lead up to an 9m adjustable ramp if there is no retaining wall
- Proudly designed and manufactured in Australia

Current at: 21 May, 2025

\$12,160.00 (ex GST) \$13.375.00 (inc GST)

\$13,635.00 (ex GST) \$15.000.00 (inc GST)

\$17.525.00 (ex GST)

\$19,275.00 (inc GST)

\$16,945.00 (ex GST) \$18,635.00 (inc GST)

www.**proway**.com.au

Proudly Australian designed and manufactured

CATTLE LOADING RAMPS

12.5 Degree Queensland Cattle Loading Ramp

- Rises over 5m (plus 2.4m level extension)
- Permanent heavy duty level extension
- Walkway and handrails both sides with steps on drivers side
- Swivel buffer board
- Designed for stepped concrete floor (concrete not included). Supplied with trimdeck sheeting on which the concrete is poured, forming a suspended concrete slab.
- Bat wing doors (designed for side loading)
- Sliding gate on level extension
- Proudly designed and manufactured in Australia

12.5 Degree Queensland Loading Ramp with Dump

- Rises up over 5m (plus 2.4m level extension)
- Walkway and handrail on one side
- Swivel buffer board
- Permanent heavy duty level extension
- Sliding gate on level extension for loading
- Steps on drivers side
- Bat wing doors (designed for side loading)
- Includes unloading dump designed for side unloading
- Designed for stepped concrete floor (concrete not included). Supplied with trimdeck sheeting on which the concrete is poured, forming a suspended concrete slab.
- Proudly designed and manufactured in Australia

9m Adjustable Cattle Loading Ramp (retaining wall design)

- Heavy duty construction with UB H frame.
- Fully sheeted sides with walkway and handrail
- Truckie access door and sliding gates at truck end
- Self locking safety bar
- Kito ER 2030S Hoist 3 tonne / 3 Phase. 12 months manufacturer warranty on hoist. Excludes damage caused by misuse, accidents or interference by operators. Other hoist options also available by request.
- Proudly designed and manufactured in Australia

9m Adjustable Cattle Loading Ramp (from ground level)

- Heavy duty construction with UB H frame
- Fully sheeted sides with walkway and handrail
- Truckie access door and sliding gates at truck end
- Self locking safety bar
- Kito ER 2030S Hoist 3 tonne / 3 Phase. 12 months manufacturer warranty on hoist. Excludes damage caused by misuse, accidents or interference by operators. Other hoist options also available by request.

\$21.905.00 (ex GST)

\$24.095.00 (inc GST)

Current at: 21 May, 2025

\$26.055.00 (ex GST)

\$28,660.00 (inc GST)

\$64,425.00 (ex GST) \$70,865.00 (inc GST)

\$81,355.00 (ex GST) \$89,490.00 (inc GST)

Prices Ex-Wagga Page 3 of 4 Prices subject to change without notice

www.**proway**.com.au

Proudly Australian designed and manufactured

Current at: 21 May, 2025

CATTLE LOADING RAMPS

9m Adjustable Cattle Loading Ramp with Side Load Option (retaining wall design)

- Designed for either rear or side loading
- Fully sheeted sides with walkway and handrail
- Truckie access door and sliding gates at truck end
- Self locking safety bar
- UB H frame
- Kito ER 2030S Hoist 3 tonne / 3 Phase. 12 months manufacturer warranty on hoist. Excludes damage caused by misuse, accidents or interference by operators. Other hoist options also available by request
- Proudly designed and manufactured in Australia

9m Adjustable Cattle Loading Ramp with Side Load Option (from ground level)

- Rear or side loading
- Fully sheeted sides with walkway and handrail
- Truckie access door and sliding gates at truck end
- Self locking safety bar
- UB H frame
- Kito ER 2030S Hoist 3 tonne / 3 Phase. 12 months manufacturer warranty on hoist. Excludes damage caused by misuse, accidents or interference by operators. Other hoist options also available by request
- Proudly designed and manufactured in Australia

Under & Over Cattle Loading Ramp (Retaining Wall Design)

- Rises over 5.14m (plus 2.8m level extension)
- 800mm internal width
- Designed to come off 1m retaining wall
- Walkway and handrail for each deck
- Bat wing doors designed to accommodate side loading
- Has sliding gate both decks at truck end
- Designed for stepped concrete floor (concrete not included). Supplied with trimdeck sheeting on which the concrete is poured, forming a suspended concrete slab.
- Proudly designed and manufactured in Australia

Under & Over Cattle Loading Ramp

- Rises up over 9m (plus 2.6m level extension)
- 800mm internal width
- Walkway & handrail for each deck
- Has bat wing doors designed to accommodate side loading
- Has sliding gate both decks at truck end
- Designed for stepped concrete floor (concrete not included). Supplied with trimdeck sheeting on which the concrete is poured, forming a suspended concrete slab.
- Proudly designed and manufactured in Australia

\$67,150.00 (ex GST) \$73.865.00 (inc GST)

\$84,080.00 (ex GST) \$92.485.00 (inc GST)

\$88,225.00 (ex GST) \$97,045.00 (inc GST)

\$95,200.00 (ex GST) \$104,720.00 (inc GST)

Prices Ex-Wagga Page 4 of 4 Prices subject to change without notice