



## EFFICIENCY, SAFETY AND PRODUCTIVITY ADVANTAGES

### RENOWNED STRENGTH, RELIABILITY AND SAFETY

The Permanent Over & Under Loading Ramp is the ultimate heavy duty solution for large scale cattle producers. ProWay's Over & Under Loading Ramps are renowned for their safety, durability and reliability in even the harshest conditions.

The Over & Under Loading Ramp is highly regarded by producers, commercial operators and transporters alike. Featuring a fully galvanised construction, sheeted sides and non-slip walk ways with handrails, the Over & Under Loading Ramp offers highly efficient stock flow and industry leading safety for staff and animals.

- Designed in conjunction with Transporters OH+S Guidelines, featuring non slip walkways and handrails
- Heavy duty, fully galvanised construction with sheeted sides
- Level extension and self aligning swivel buffer board
- Rises over 9M with a 2.6M level extension and 800mm internal width
- Sliding gates at truck end and man way access gates
- Designed to suit either ground level or retaining wall construction dependent on requirements
- Concrete flooring is poured on site and offers a non-slip solution and durability for high traffic loading facilities
- Designed to handle harsh Queensland climate and larger tropical breeds
- Proudly Australian owned, designed & manufactured



**HEAVY DUTY  
CONSTRUCTION**



**NON SLIP  
WALKWAY WITH  
HANDRAIL**



**SELF ALIGNING  
SWIVEL BUFFER**

## THE CHOICE OF LIVESTOCK PROFESSIONALS

ProWay offer an integrated design, planning, budgeting, manufacture and site installation service for livestock handling facilities throughout Australia and the world.

We have been employed by private and public organisations to design, manufacture and install livestock handling facilities on farms and feedlots, through to large scale abattoirs and saleyards.



Making the Livestock industry more

## EFFICIENT, SAFE & PROFITABLE

- Side and rear loading compatible
- Sliding gates at truck end and truckies access door closes across ramp to prevent operator injury
- Designed to come off ground level or 1.2m retaining wall
- Drop over truck bridge to eliminate gaps
- Flat packs for cost effective transporting to site
- Full construction plans available for erection
- Rises over 9m with a 2.6m level extension and 800mm internal width

When designing and building your infrastructure our focus is on:

- **MAXIMISING STOCK FLOW**
- **OPERATOR EFFICIENCY AND SAFETY**
- **ENSURING THE FACILITIES SUIT YOUR SITE AND OPERATION**
- **PRODUCT LONGEVITY**

## KEY FEATURES



### 800MM INSIDE WIDTH

Ideal width for cattle flow into both truck decks



### SELF ALIGNING SWIVEL BUFFER

Ensures truck lines up without damaging ramp



### NON SLIP WALKWAY WITH HANDRAIL

Complies with Australian Standards for safe access along both ramp sides.



Designed and Manufactured in  
Wagga Wagga NSW Australia

**PH: 1300 655 383**

[INFORMATION@PROWAY.COM.AU](mailto:INFORMATION@PROWAY.COM.AU)



## THE CHOICE OF LIVESTOCK PROFESSIONALS

ProWay have designed a range of cattle loading ramps that are regarded by livestock carriers as the best available for safety and stockflow.

ProWay have worked with The Livestock Transport Association of Victoria (LTAV) in developing an approved loading ramp design guide for varied applications. This guide can be found on the LTAV website: <http://lrtav.com.au/ramps/>

## THE PROWAY ADVANTAGE:

The ProWay adjustable under and over cattle ramp is designed with, safety, longevity and efficiency in mind.


- Internal floor moves from bottom to top deck.
- Gives the safety of an under and over ramp, with the economy of an adjustable ramp.
- Full Australian standard compliant walkways to both decks.
- Full installation instructions supplied or construction service available.
- Suitable for rear or side loading.
- Fully sheeted sides with viewing slot
- Heavy duty winch to raise and lower floor between decks.



Designed and Manufactured in  
Wagga Wagga NSW Australia

**PH: 1300 655 383**

[information@proway.com.au](mailto:information@proway.com.au)



**ON SITE CONSTRUCTION AVAILABLE**

## CATTLE LOADING RAMPS

Current at: 21 May, 2025

### Cattle Loading Ramp - Mobile

#### Eco Mobile Cattle Loading Ramp with Adjustable Floor with walkway and hand winch

\$8,775.00 (ex GST)

- Strip sheeted pipe sides

\$9,655.00 (inc GST)

- Walkway - 2 x 300mm interlock planks with handrail

- Hand winch to adjust floor height. 12 months manufacturer warranty on winch.

Excludes damage caused by misuse, accidents or interference by operators.

- Lightboard

- Proudly designed and manufactured in Australia

### Cattle Loading Ramp - Permanent

#### 19 Degree HD Cattle Loading Ramp

\$6,690.00 (ex GST)

- Rises up over 3.3m

\$7,360.00 (inc GST)

- Sheeted cattlerail sides

- Walkway and handrail

- Swivel buffer board

- Designed for a stepped concrete floor (concrete not included). Supplied with trimdeck sheeting on which the concrete is poured, forming a suspended concrete slab.

- Sliding gate at truck end

- Proudly designed and manufactured in Australia

#### 19 Degree Adjustable Cattle Loading Ramp

\$7,185.00 (ex GST)

- Rises up over 3.3m

\$7,905.00 (inc GST)

- Sheeted RHS sides for good stock flow

- Hot Dipped Galvanised 3mm pressed chequer plate floor

- 800mm internal width

- Nylon buffers

- Drop over flap eliminates gap between truck and ramp

- Hand winch to adjust floor height. Adjusts from trailer to truck height. 12 months manufacturer warranty on winch.

- Walkway - 3 x 225mm interlock planks with handrail

- Constructed from galvanised materials ensures product longevity

- Proudly designed and manufactured in Australia

#### 19 Degree HD Cattle Loading Ramp with Level Extension

\$11,015.00 (ex GST)

Rises up over 3.3m (plus 1.6m level extension)

\$12,115.00 (inc GST)

- Sheeted cattle rail sides

- Walkway and handrail

- Swivel buffer board

- Designed for a stepped concrete floor (concrete not included). Supplied with trimdeck sheeting on which the concrete is poured, forming a suspended concrete slab.

- Sliding gate at truck end

- Proudly designed and manufactured in Australia

## CATTLE LOADING RAMPS

Current at: 21 May, 2025

### 19 Degree HD Cattle Loading Ramp with Level Extension and Dual Walkways

\$12,160.00 (ex GST)

Rises up over 3.3m, plus 1.6m level extension. The level extension makes loading and unloading cattle safer and better suits animals natural tendencies.

\$13,375.00 (inc GST)

- Sheeted cattle rail sides, promotes safe stockflow
- Walkway and handrail both sides of ramp
- Access door both sides of ramp
- Swivel buffer board minimises gaps
- Designed for a stepped concrete floor. Supplied with trimdeck sheeting (better for stockflow and longevity) on which the concrete is poured, forming a suspended concrete slab. A stepped floor is best for loading as it is more natural for animals and they stay calmer.
- Sliding gate at truck end
- Proudly designed and manufactured in Australia
- Walkways and ramp compliant with AS 5430, AS1657 and ALRTA guidelines.

### 12.5 Degree HD Cattle Loading Ramp with Level Extension incl. Sliding Gate

\$13,635.00 (ex GST)

\$15,000.00 (inc GST)

- Rises up over 5m (plus 1.6m level extension)
- Sheeted cattle rail sides
- Walkway and handrail
- Truckie access door shuts across ramp
- Swivel buffer board
- Designed for a stepped concrete floor (concrete not included). Supplied with trimdeck sheeting on which the concrete is poured, forming a suspended concrete slab.
- Sliding gate at truck end
- Proudly designed and manufactured in Australia

### 12.5 Degree HD Cattle Loading Ramp with Level Extension, Sliding Gate and Dual

\$17,525.00 (ex GST)

#### Walkways

\$19,275.00 (inc GST)

- Rises up over 5m (plus 1.6m level extension)
- Sheeted cattle rail sides
- Walkway and handrail both sides of ramp
- Truckie access door shuts across ramp
- Swivel buffer board
- Designed for a stepped concrete floor (concrete not included). Supplied with trimdeck sheeting on which the concrete is poured, forming a suspended concrete slab.
- Sliding gate at truck end
- Proudly designed and manufactured in Australia

### 12.5 Degree Permanent Heavy Duty Lead-up Cattle Loading Ramp

\$16,945.00 (ex GST)

\$18,635.00 (inc GST)

- Rises up over 5m
- Lead up for 9m Adjustable Ramp
- Designed for a concrete floor (concrete not included). Supplied with trimdeck sheeting on which the concrete is poured, forming a suspended concrete slab.
- Sheeted SHS sides
- This is needed as a lead up to an 9m adjustable ramp if there is no retaining wall
- Proudly designed and manufactured in Australia

## CATTLE LOADING RAMPS

Current at: 21 May, 2025

### 12.5 Degree Queensland Cattle Loading Ramp

\$21,905.00 (ex GST)

- Rises over 5m (plus 2.4m level extension)
- Permanent heavy duty level extension
- Walkway and handrails both sides with steps on drivers side
- Swivel buffer board
- Designed for stepped concrete floor (concrete not included). Supplied with trimdeck sheeting on which the concrete is poured, forming a suspended concrete slab.
- Bat wing doors (designed for side loading)
- Sliding gate on level extension
- Proudly designed and manufactured in Australia

\$24,095.00 (inc GST)

### 12.5 Degree Queensland Loading Ramp with Dump

\$26,055.00 (ex GST)

- Rises up over 5m (plus 2.4m level extension)
- Walkway and handrail on one side
- Swivel buffer board
- Permanent heavy duty level extension
- Sliding gate on level extension for loading
- Steps on drivers side
- Bat wing doors (designed for side loading)
- Includes unloading dump designed for side unloading
- Designed for stepped concrete floor (concrete not included). Supplied with trimdeck sheeting on which the concrete is poured, forming a suspended concrete slab.
- Proudly designed and manufactured in Australia

\$28,660.00 (inc GST)

### 9m Adjustable Cattle Loading Ramp (retaining wall design)

\$64,425.00 (ex GST)

- Heavy duty construction with UB H frame.
  - Fully sheeted sides with walkway and handrail
  - Truckie access door and sliding gates at truck end
  - Self locking safety bar
  - Kito ER 2030S Hoist - 3 tonne / 3 Phase. 12 months manufacturer warranty on hoist.
- Excludes damage caused by misuse, accidents or interference by operators. Other hoist options also available by request.
- Proudly designed and manufactured in Australia

\$70,865.00 (inc GST)

### 9m Adjustable Cattle Loading Ramp (from ground level)

\$81,355.00 (ex GST)

- Heavy duty construction with UB H frame
  - Fully sheeted sides with walkway and handrail
  - Truckie access door and sliding gates at truck end
  - Self locking safety bar
  - Kito ER 2030S Hoist - 3 tonne / 3 Phase. 12 months manufacturer warranty on hoist.
- Excludes damage caused by misuse, accidents or interference by operators. Other hoist options also available by request.

\$89,490.00 (inc GST)



## CATTLE LOADING RAMPS

Current at: 21 May, 2025

### 9m Adjustable Cattle Loading Ramp with Side Load Option (retaining wall design)

\$67,150.00 (ex GST)

- Designed for either rear or side loading
- Fully sheeted sides with walkway and handrail
- Truckie access door and sliding gates at truck end
- Self locking safety bar
- UB H frame
- Kito ER 2030S Hoist - 3 tonne / 3 Phase. 12 months manufacturer warranty on hoist.
- Excludes damage caused by misuse, accidents or interference by operators. Other hoist options also available by request
- Proudly designed and manufactured in Australia

\$73,865.00 (inc GST)

### 9m Adjustable Cattle Loading Ramp with Side Load Option (from ground level)

\$84,080.00 (ex GST)

- Rear or side loading
- Fully sheeted sides with walkway and handrail
- Truckie access door and sliding gates at truck end
- Self locking safety bar
- UB H frame
- Kito ER 2030S Hoist - 3 tonne / 3 Phase. 12 months manufacturer warranty on hoist.
- Excludes damage caused by misuse, accidents or interference by operators. Other hoist options also available by request
- Proudly designed and manufactured in Australia

\$92,485.00 (inc GST)

### Under & Over Cattle Loading Ramp (Retaining Wall Design)

\$88,225.00 (ex GST)

- Rises over 5.14m (plus 2.8m level extension)
- 800mm internal width
- Designed to come off 1m retaining wall
- Walkway and handrail for each deck
- Bat wing doors designed to accommodate side loading
- Has sliding gate both decks at truck end
- Designed for stepped concrete floor (concrete not included). Supplied with trimdeck sheeting on which the concrete is poured, forming a suspended concrete slab.
- Proudly designed and manufactured in Australia

\$97,045.00 (inc GST)

### Under & Over Cattle Loading Ramp

\$95,200.00 (ex GST)

- Rises up over 9m (plus 2.6m level extension)
- 800mm internal width
- Walkway & handrail for each deck
- Has bat wing doors designed to accommodate side loading
- Has sliding gate both decks at truck end
- Designed for stepped concrete floor (concrete not included). Supplied with trimdeck sheeting on which the concrete is poured, forming a suspended concrete slab.
- Proudly designed and manufactured in Australia

\$104,720.00 (inc GST)