




THE CHOICE OF LIVESTOCK PROFESSIONALS



MULTIPLE OPTIONS TAILORED TO SUIT YOUR SHEARING SHED

ProWay offers a range of Ramps into Shearing Sheds that can help to promote safe and efficient sheep flow into your shed facility. The ProWay Design Team will factor in slope, shed orientation and heights to ensure a suitable Ramp is created for your wool shed that becomes an extension of your shed and yards. Typically, ProWay Shearing Shed Ramps are customised for shed heights of up to 1.8m. The Shearing Shed Ramps are concrete floored and feature fully sheeted sides, a 2m width, non-slip walkways and manway access gates to ensure you retain the safety and sheep flow benefits of ProWay's Loading Ramps.

- 75x75 RHS galvanised frame
- 1m sheeted sides with a standard 2m internal width
- Concrete ramp floor offers reliability and durability
- Promotes safe and steady sheep flow when penning up
- Optional: Level landing at top of ramp (to make an L shape into shed) 2m wide x 2m long, walkway on one or both sides or access gates from walkway onto ramp

SHEARING SHED RAMPS

Current at: 21 May, 2025

Shearing Shed Ramp

| | |
|---|----------------------|
| Ramp into shed (up to grating height of 0.6m) | \$3,210.00 (ex GST) |
| - 75x75 RHS galvanised frame | \$3,530.00 (inc GST) |
| - 1m sheeted sides for good stock flow | |
| - 2000mm inside width | |
| - Constructed from galvanised materials - ensures product longevity | |
| - Designed for concrete floor (concrete not included) | |
| - Proudly designed and manufactured in Australia | |
| Ramp into shed (to grating height of 0.7m to 1.2m) | \$3,785.00 (ex GST) |
| - 75x75 RHS galvanised frame | \$4,165.00 (inc GST) |
| - 1m sheeted sides for good stock flow | |
| - 2000mm inside width | |
| - Constructed from galvanised materials - ensures product longevity | |
| - Designed for concrete floor (concrete not included) | |
| - Proudly designed and manufactured in Australia | |
| Ramp into shed (to grating height of 1.3m to 1.8m) | \$6,305.00 (ex GST) |
| - 75x75 RHS galvanised frame | \$6,935.00 (inc GST) |
| - 1m sheeted sides for good stock flow | |
| - 2000mm inside width | |
| - Constructed from galvanised materials - ensures product longevity | |
| - Designed for concrete floor (concrete not included) | |
| - Proudly designed and manufactured in Australia | |

Shearing Shed Ramp - Options

| | |
|--|----------------------|
| Walkway for ramp into shed (up to grating height of 0.6m) | \$560.00 (ex GST) |
| - 3 x 225mm interlock planks with handrail | \$615.00 (inc GST) |
| Walkway for ramp into shed (to grating height of 0.7m to 1.2m) | \$880.00 (ex GST) |
| - 3 x 225mm interlock planks with handrail | \$965.00 (inc GST) |
| Walkway for ramp into shed (to grating height of 1.3m to 1.8m) | \$1,195.00 (ex GST) |
| - 3 x 225mm interlock planks with handrail | \$1,315.00 (inc GST) |
| Level landing for ramp into shed (up to grating height of up to 0.6m) | \$2,485.00 (ex GST) |
| - 75x75 RHS galvanised frame | \$2,735.00 (inc GST) |
| - 1m sheeted sides for good stock flow | |
| - 2000mm wide x 2000mm long | |
| - Constructed from galvanised materials, ensures product longevity | |
| - Designed for concrete floor (concrete not included) | |

SHEARING SHED RAMPS

Current at: 21 May, 2025

Level landing for ramp into shed (to grating height of 0.7m to 1.2m)

\$2,540.00 (ex GST)

- 75x75 RHS galvanised frame
- 1m sheeted sides for good stock flow
- 2000mm wide x 2000mm long
- Constructed from galvanised materials - ensures product longevity
- Designed for concrete floor (concrete not included)

\$2,795.00 (inc GST)

Level landing for ramp into shed (to grating height of 1.3m to 1.8m)

\$2,565.00 (ex GST)

- 75x75 RHS galvanised frame
- 1m sheeted sides for good stock flow
- 2000mm wide x 2000mm long
- Constructed from galvanised materials, ensures product longevity
- Designed for concrete floor (concrete not included)

\$2,820.00 (inc GST)

Sheep Loading Ramp - Permanent

Landing with walkway, steps and access gate for ramp out of shed (1200mm high grating)

\$5,405.00 (ex GST)

- Landing (1.1m internal opening) for ramp base to sit on, with optional 600mm wide walkways @ approx. 1.9m long
- Often paired with ProWay 8.0m Permanent Adjustable Sheep Ramp
- Concrete floor
- RHS frame for strength
- Walkway with handrail to join to walkway or ramp.
- Steps and access gate for operator access
- Proudly designed & manufactured in Australia

\$5,945.00 (inc GST)

Shearing Shed Ramp - Options

Walkway & access gate for level landing

\$825.00 (ex GST)

- 3 x 225mm interlock planks with handrail - sheeted access gate with slam catch

\$905.00 (inc GST)