

EFFICIENCY, SAFETY AND PRODUCTIVITY ADVANTAGES



THE RELIABLE AND SAFE PORTABLE OPTION

The ProWay 8M Mobile Adjustable Sheep Ramp is the ideal solution for safely loading livestock from multiple locations. The 8M Mobile Sheep Ramp is based on the same principals of the Permanent version and are renowned for their safety, strength and reliability.

The Mobile Adjustable Sheep Ramp is well regarded by producers, commercial operators and transport contractors alike for its safety, efficiency benefits and its heavy duty reliable construction.

Featuring a fully galvanised construction, heavy duty sheeted sides, a self-engaging safety bar and a reinforced chassis, ProWay Mobile Sheep Ramps are built to last. The 8M Mobile Sheep Ramp is adjustable from ute height, to the third deck of a truck and can be fitted with a standard 5:1 brake winch or fitted out with an optional 12V electric winch.

- Ramp adjusts from ute height to the third deck of a truck
- Comes standard with a non-slip walkway and handrail on either drivers or passenger side
- Standard 5:1 brake winch, with option of 12V electric winch
- Fully galvanised construction with Australian Steel, featuring a leaf sprung reinforced chassis and wind down legs for extra stability.
- Sheeted 1M sides, loading width of 915mm inside race for optimal sheep flow
- Self-engaging safety bar

Optional upgrades available:

- Access gate in side of ramp at top of walkway
- Dual walkways
- Solar charge for 12V electric winch



**915MM
INSIDE WIDTH**



**HEAVY DUTY
REINFORCED
FRAME**



**NON SLIP WALKWAY
WITH HANDRAIL**

EFFICIENCY, SAFETY AND PRODUCTIVITY ADVANTAGES



THE HEAVY DUTY, RELIABLE AND SAFE PORTABLE OPTION

The ProWay 8M Heavy Duty Mobile Adjustable Sheep Ramp is the ideal solution for safely loading livestock from multiple locations. The 8M Heavy Duty Mobile Sheep Ramp is based on the same principals of the Permanent version and are renowned for their safety, strength and reliability.

The Heavy Duty Sheep Ramp is well regarded by producers, commercial operators and transport contractors alike for its safety, efficiency benefits and its heavy duty reliable construction.

Featuring a fully galvanised construction, heavy duty sheeted sides, a self-engaging safety bar and a reinforced chassis with twin axles, ProWay Mobile Sheep Ramps are built to last. The 8M Mobile Sheep Ramp is adjustable from ute height, to the third deck of a truck and can be fitted with a standard 5:1 brake winch or fitted out with an optional 12V electric winch.

- Reinforced heavy duty, H frame, twin axles and gantry incorporating base
- Ramp adjusts from ute height to the third deck of a truck
- Comes standard with a non-slip walkway and handrail on either drivers or passenger side
- Standard 5:1 brake winch, with option of 12V electric winch
- Fully galvanised construction with Australian Steel, featuring a leaf sprung reinforced chassis and wind down legs for extra stability.
- Sheeted 1M sides, loading width of 915mm inside race for optimal sheep flow
- Self-engaging safety bar

Optional upgrades available:

- Access gate in side of ramp at top of walkway
- Dual walkways
- Solar charge for 12V electric winch



**915MM
INSIDE WIDTH**



**HEAVY DUTY
REINFORCED
FRAME**



**NON SLIP WALKWAY
WITH HANDRAIL**

THE CHOICE
OF LIVESTOCK
PROFESSIONALS

THE MOBILE LOADING SOLUTION

ProWay's 3.3M Mobile Adjustable Sheep Loading Ramp is the ideal solution for loading between trailers, utes and the first decks of stock crates.

The easily transportable Loading Ramp features fully galvanised construction and a pressed floor to improve traction. The fully sheeted sides ensure optimal stock flow and comes standard with a 5:1 brake winch.

The 3.3M Mobile Adjustable Loading Ramp offers the flexibility of being able to be comfortably towed between multiple yard sites or properties as required.

- Ideally suited for transport between multiple sites
- Fully sheeted sides and galvanised construction ensure optimal stock flow and safety
- Pressed floor improves traction
- Fold down truck bridge offers additional protection when loading



925MM INSIDE WIDTH



SUITABLE FOR
TRANSPORT
BETWEEN
MULTIPLE SITES



NON SLIP WALKWAY

**EFFICIENCY,
SAFETY AND
PRODUCTIVITY
ADVANTAGES**

RENOWNED STRENGTH, RELIABILITY AND SAFETY

The ProWay 8M Permanent Adjustable Sheep Ramp is the ideal solution for safely loading livestock. ProWay's Permanent Loading Ramps are known for their safety, strength and reliability and are well regarded by producers, commercial operators and transport contractors alike.

Featuring a fully galvanised construction, heavy duty sheeted sides and a self-engaging safety bar, ProWay Permanent Sheep Ramps are built to last. The 8M Permanent Sheep Ramp is adjustable from ute height, to the third deck of a truck and can be fitted with a standard 5:1 brake winch or with an optional 12V electric winch. Permanent Adjustable Sheep Ramps are designed to be installed with a hydraulic power pack, to ensure a safe and reliable fit out on site.

- Heavy duty H frame and gantry (250 UB columns) incorporating base
- Ramp adjusts from ute height to the third deck of a truck
- Comes standard with a non-slip walkway and handrail on either drivers or passenger side
- Standard 5:1 brake winch, with option of 12V electric winch
- Fully galvanised construction, sheeted 1M sides, loading width of 915mm inside race for optimal sheep flow
- Self-engaging safety bar
- Professionally erected with hydraulic power pack for safe and accurate install

Optional upgrades available:

- Access gate in side of ramp at top of walkway
- Dual walkways
- Solar charge for 12V electric winch



**915MM
INSIDE WIDTH**



**SELF LOCKING
SAFETY BAR**



**NON SLIP WALKWAY
WITH HANDRAIL**

THE CHOICE OF LIVESTOCK PROFESSIONALS



COMMERCIAL GRADE RELIABILITY, EFFICIENCY AND LONGEVITY

For years, ProWay's Commercial Design Team have been advising and designing products to suit the Australian Standard for livestock transportation and loading/unloading.

The 9.0M Permanent Adjustable Sheep Loading has been designed to safely and efficiently load and unload high quantities of sheep. The commercial grade 9.0M Permanent Sheep Ramp has an internal width of 925mm and has a heavy duty H Frame and 250UB columns.

The Ramp itself has the ability to pull forward when raised, eliminating the hassle of having to move the truck. A self-engaging safety bar and heavy duty Kito ER 2020L Hoist (2 tonne / 3 phase) partner a non-slip walkway and handrail. A drop over adjustable bridge ensures there are no gaps when loading/unloading.




- Successfully operating at major sale yards across Australia
- 925mm width with fully sheeted sides allows for efficient and safe stock flow
- Non-slip walkways and handrails ensure operator safety when moving stock
- Heavy duty H Frame and 250UB columns provide a reliable, permanent loading option



**THE CHOICE
OF LIVESTOCK
PROFESSIONALS**

EFFICIENT, SAFE AND COST EFFECTIVE LOADING OPTIONS



The ProWay Permanent Concrete Sheep Ramp is a durable, cost effective loading option that has been proven to last.

Featuring galvanised construction, 900mm internal width, fully sheeted sides, walkways with hand rails and a concrete floor the Permanent Concrete Ramp offers optimum stock flow and product longevity without sacrificing operator safety and animal welfare.

- Concrete floor will not rust, rot or move with stock flow
- Solid noiseless base for sheep to walk
- Sheeted 1m sides to aid stock flow and prevent sheep getting out
- Drop over flap to eliminate the gaps associated with different height trucks and utes
- Vertical buffer to limit damage to ramp when reversing
- 900mm wide to maximise sheep flow
- All galvanised construction

THE CHOICE OF LIVESTOCK PROFESSIONALS

ProWay have designed a range of sheep loading ramps that are regarded by livestock carriers as the best available for safety and stockflow.

ProWay have worked with The Livestock Transport Association of Victoria (LTAV) in developing an approved loading ramp design guide for varied applications. This guide can be found on the LTAV website: <http://ltav.com.au/ramps/>

Making the Livestock industry more **EFFICIENT, SAFE & PROFITABLE**

- Floor adjusts from 1st deck down to ute trailer height
- Non slip walkway with handrail
- Hand winch for easy adjustment
- Sheeted 1 metre sides to aid sheep flow and prevent sheep getting out
- Drop over flap to eliminate the gaps associated with different height trucks and utes
- Vertical buffer timbers
- 900mm wide for maximum sheep flow
- All galvanised construction



Designed and Manufactured in
Wagga Wagga NSW Australia

PH: 1300 655 383

information@proway.com.au



When designing and building your infrastructure our focus is on:

- **MAXIMISING STOCK FLOW**
- **OPERATOR EFFICIENCY AND SAFETY**
- **ENSURING THE FACILITIES SUIT YOUR SITE AND OPERATION**
- **PRODUCT LONGEVITY**

SHEEP LOADING RAMPS PRICELIST

Current at: 21 May, 2025

Sheep Loading Ramp - Mobile

2.2m Alloy Ute Sheep Loading Ramp

\$3,065.00 (ex GST)

- With 200 mm wheels - can be easily wheeled into position
- Lightweight allowing easy manoeuvrability and lifting
- Ideal for loading utes and trailers

\$3,375.00 (inc GST)

Proudly designed & manufactured in Australia

3.3m Mobile Adjustable Floor Sheep Loading Ramp with Walkway and Hand Winch

\$9,070.00 (ex GST)

- 1m sheeted ramp sides for good stock flow
- Removable pull
- 920mm inside width
- Hand winch to adjust floor height from trailer to truck 1st deck height (12 months manufacturer warranty on winch. Excludes misuse and accidental damage)
- Single walkway - 2 x 300mm interlock planks with handrail
- Constructed from galvanised materials - ensures product longevity
- Comes with six stud rims and new tyres. Supplied with lightboard.
- Proudly designed & manufactured In Australia

\$9,975.00 (inc GST)

8.0m Mobile Adjustable Sheep Loading Ramp

\$18,715.00 (ex GST)

- 1m sheeted ramp sides for good stock flow
- 925mm inside width - recommended by truckies for good stock flow
- Single walkway and handrail for safe operator access
- Sprung chassis
- Self engaging safety bar
- Constructed from galvanised materials - ensures product longevity
- Adjusts from ute height to 3rd deck. 12 months manufacturer warranty on hand winch. Excludes misuse and accidental damage.
- Removable pull at truck end
- Comes with six stud rims and new tyres. Supplied with lightboard.
- Proudly designed & manufactured in Australia

\$20,585.00 (inc GST)

8.0m Mobile Adjustable Sheep Loading Ramp with 12 Volt Electric Winch

\$21,495.00 (ex GST)

- 1m sheeted ramp sides for good stock flow
- 925mm inside width - recommended by truckies for good stock flow
- Walkway and handrail - for safe operator access
- Sprung chassis
- Self engaging safety bar
- constructed from galvanised materials - ensures product longevity
- Adjusts from ute height to 3rd deck
- Removable pull at truck end
- Includes 12 volt electric winch option complete with a limit switch and deep cycle battery. 12 months manufacturer warranty on winch. Excludes damage caused by misuse, accidents or interference by operators.
- Comes with six stud rims and new tyres. Supplied with lightboard.
- Proudly designed & manufactured In Australia

\$23,645.00 (inc GST)

SHEEP LOADING RAMPS PRICELIST

Current at: 21 May, 2025

8.0m Heavy Duty Mobile Adjustable Sheep Loading Ramp

\$21,055.00 (ex GST)

- 1m sheeted ramp sides for good stock flow
 - 925mm inside width - recommended by truckies for good stock flow
 - Walkway & handrail for safe operator access
 - 4mm chassis & pull for extra strength
 - Rocker roller load sharing suspension
 - Heavy duty jacks at towing end to aid set up
 - Weighted more towards front for safer towing
 - Self engaging safety bar
 - Constructed from galvanised materials -ensures product longevity
 - Adjusts from ute height to 3rd deck
 - Hand winch to adjust floor height. 12 months manufacturer warranty on winch.
- Excludes damage caused by misuse, accidents or interference by operators.
- Comes with six stud rims, new tyres and lightboard
 - Removable pull at truck end

\$23,160.00 (inc GST)

8.0m Heavy Duty Mobile Adjustable Sheep Loading Ramp with 12 Volt Electric Winch

\$23,850.00 (ex GST)

- 1m sheeted ramp sides for good stock flow
- 925mm inside width - recommended by truckies for good stock flow
- Walkway & handrail for safe operator access
- 4mm chassis & pull for extra strength
- Rocker roller load sharing suspension
- Heavy duty jacks at towing end to aid set up
- Self engaging safety bar
- Adjusts from ute height to 3rd deck
- Removable pull at truck end
- Includes 12 volt electric winch option with limit switch & deep cycle battery. 12 months manufacturer warranty on winch. Excludes damage caused by misuse, accidents or interference by operators.
- Comes with six stud rims, new tyres and lightboard
- Proudly designed & manufactured in Australia

\$26,235.00 (inc GST)

SHEEP LOADING RAMPS PRICELIST

Current at: 21 May, 2025

Sheep Loading Ramp - Permanent

3.3m Permanent Concrete Floor Sheep Loading Ramp with Walkway	\$5,090.00 (ex GST)
- 1m sheeted ramp sides for good stock flow	\$5,600.00 (inc GST)
- 900mm inside width	
- Drop over flap eliminates gap between truck and ramp	
- Walkway - 2 x 300mm interlock planks with handrail	
- Constructed from galvanised materials ensures product longevity	
- Designed for concrete floor (concrete not included- ramp requires approximately 0.50m3). Supplied with trimdeck sheeting on which the concrete is poured, forming a suspended concrete slab.	
- Proudly designed & manufactured In Australia	
3.3m Permanent Adjustable Floor Sheep Loading Ramp with Walkway and Hand Winch	\$6,095.00 (ex GST)
- 1m sheeted ramp sides, for good stock flow	\$6,705.00 (inc GST)
- 900mm inside width	
- Drop over flap, eliminates gap between truck and ramp	
- Hand winch to adjust floor height from trailer to truck height. 12 months manufacturer warranty on winch.	
- Walkway with handrail	
- Constructed from galvanised materials, ensures product longevity	
- Proudly designed & manufactured In Australia	
3.3m Saleyard Permanent Adjustable Sheep Loading Ramp	\$13,590.00 (ex GST)
- Walkway and handrail one side for safe operator access	\$14,945.00 (inc GST)
- Heavy Duty 150PFC gantry	
- 1m sheeted ramp sides - for good stock flow	
- Drop over flap - eliminates gap between truck and ramp	
- Hand winch to adjust floor height from trailer to truck 1st deck height. 12 months manufacturer warranty on winch. Excludes damage caused by misuse, accidents or interference by operators.	
- All galvanised construction	
- Heavy duty construction	
- Galvanised pressed steel floor	
- Concrete not included - ramp requires approximately 1.05m3	
- Proudly designed & manufactured In Australia	

SHEEP LOADING RAMPS PRICELIST

Current at: 21 May, 2025

8.0m Permanent Adjustable Sheep Loading Ramp

\$17,185.00 (ex GST)

- 1m sheeted ramp sides for good stock flow
 - 925mm inside width - recommended by truckies for good stock flow
 - Walkway and handrail - for safe operator access
 - Self engaging safety bar
 - Drop over flap
 - Adjusts from ute to 3rd deck
 - Complete with Exclusion Zone Safety Fencing
 - Hand winch to adjust floor height. 12 months manufacturer warranty on winch.
- Excludes damage caused by misuse, accidents or interference by operators.
- Folding Gantry for safe and easy installation.
 - Proudly designed & manufactured in Australia

\$18,905.00 (inc GST)

8.0m Permanent Adjustable Sheep Loading Ramp - 12 Volt Electric Winch

\$19,885.00 (ex GST)

- 925mm inside width - recommended by truckies for good stock flow
- Walkway and handrail - for safe operator access
- 1m sheeted ramp sides - for good stock flow
- Drop over flap - eliminates gap between truck and ramp
- Adjusts from ute to 3rd deck
- Complete with Exclusion Zone Safety Fencing
- Includes 12 volt electric winch option complete with a limit switch and deep cycle battery. 12 months manufacturer warranty on winch. Excludes damage caused by misuse, accidents or interference by operators.
- Folding Gantry for safe and easy installation.
- Proudly designed & manufactured In Australia

\$21,870.00 (inc GST)

9.0m Super Heavy Duty Sheep Permanent Adjustable Loading Ramp

\$33,890.00 (ex GST)

- 925mm inside width - recommended by truckies for good stock flow
 - Walkway & handrail
 - Truckie access door
 - Pressed galvanised steel floor
 - Kito ER 2020L Hoist - 2 tonne / 3 Phase. 12 months manufacturer warranty on winch.
- Excludes damage caused by misuse, accidents or interference by operators. Other hoist options available by request.
- Proudly designed & manufactured in Australia

\$37,280.00 (inc GST)

9.0m Super Heavy Duty Sheep Adjustable Unloading Dump

\$37,865.00 (ex GST)

- Abattoir Ramp
- 1200mm inside width for quick unloading
 - Walkway and handrail
 - Truckie access door
 - Pressed galvanised steel floor
 - Kito ER 2030S Hoist - 3 tonne / 3 Phase. 12 months manufacturer warranty on hoist.
- Excludes damage caused by misuse, accidents or interference by operators. Other hoist options also available by request.
- Proudly designed & manufactured in Australia

\$41,655.00 (inc GST)

SHEEP LOADING RAMPS PRICELIST

Current at: 21 May, 2025

Landing with walkway, steps and access gate for ramp out of shed (1200mm high grating)	\$5,405.00 (ex GST)
- Landing (1.1m internal opening) for ramp base to sit on, with optional 600mm wide walkways @ approx. 1.9m long	\$5,945.00 (inc GST)
- Often paired with ProWay 8.0m Permanent Adjustable Sheep Ramp	
- Concrete floor	
- RHS frame for strength	
- Walkway with handrail to join to walkway or ramp.	
- Steps and access gate for operator access	
- Proudly designed & manufactured in Australia	
Sheep Loading Ramp - Options	
240 volt Electric Winch Option	\$4,970.00 (ex GST)
- Comeup CP500 Winch (12 months warranty; warranty excludes wire rope. Excludes damage caused by misuse, accidents or interference by operators)	\$5,465.00 (inc GST)
- Includes height limit switch	
- Fixed push button operation	
- Fully waterproof to IP65	
- Fitted with 15 amp single phase plug. Requires 240 volt power to ramp location (not included)	
12 volt Electric Winch Option	\$2,750.00 (ex GST)
- Comeup DV Recovery winch. 12 months manufacturer warranty on winch. Excludes damage caused by misuse, accidents or interference by operators.	\$3,025.00 (inc GST)
- Fixed push button operation	
- Lifting speed 6.5m/min	
Solar Charge Option for 12 volt Winch	\$695.00 (ex GST)
	\$765.00 (inc GST)
Extra Height Goat Rails option for Sheep Loading Ramps	\$535.00 (ex GST)
- 40x40RHS rails added to ramp sides to bring height of sides to 1200mm	
	\$590.00 (inc GST)
Additional Walkway on 8.0m Mobile Adjustable Sheep Loading Ramps	\$1,870.00 (ex GST)
- 600mm wide interlock non slip walkway with handrail	\$2,055.00 (inc GST)
Additional Walkway on 8.0m Permanent Adjustable Sheep Loading Ramps	\$2,365.00 (ex GST)
- 600mm wide interlock non slip walkway with handrail	\$2,600.00 (inc GST)
Access Gate in Loading Ramp Side	\$715.00 (ex GST)
For access if required.	\$790.00 (inc GST)